




Model : S32

The S32 state-of-the-art-system is a remarkable piece to complete a safe haven where the priority is you. Secure your home as a palace with S32.

By comparing with the previous version of touch panels, Bluguard has bring in a new technology to implement in this panel which is a top notch security with an all new CapSense technology system to enhance the design and bring comfort to you

FEATURES

- **Voice Mailbox**

8 dedicated voice mailbox for users to leave important message to their loved one

- **Intercom**

Intercom between four keypads

- **16 programmable zones with 4 partitions (expandable to 32 zones for wider security coverage)**

- **Home Automation Control**

Integrate the home automation that automated your home appliances. Built in on/off times, tele control and scene function to make your home "Alive"

- **GSM Module Solution**

Built-in SMS reporting on the "system status report"

- **Mobile APP Control (With P2P Module)**

- Alarm push notification with sound
- Arm / disarm, bypass / unbypass, view zone status, home automation control
- CCTV viewing (bluguard certified camera only)

- **TCP / IP Interface**

Allow monitoring via local PC, smart phone or remote via software utilizing TCP/IP converter

- **Unique Voice Feedback**

Report on the status of each zone with customized vocabulary through the workings of control panel

- **Built-in Speaker**

Able to update users the condition of the system

- **Lightning Surge**

Secured lightning surge protection design up to 4kV

- **Easy Access Function**

One -touch system with easy access of function via local keypad or mobile

TECHNICAL SPECIFICATIONS

Input Voltage	240 Vac
Standby Current	80 mA
Backup Battery	Rechargeable battery 12 Vdc, 7AH
Isolation Transformer	14 Vac, 3A
Auxiliary Power Output	12 Vdc, Max 1A
Keypad Power Output	Controllable 12 Vdc, Max 1A
Siren Output	12 Vdc, Max 2A
Strobe Light Output	12 Vdc, Max 1A
PCB Dimensions	205 x 150mm
Metal Casing Dimensions	285 x 300 x 80mm
Keypad Dimensions	85 mmW x 134 mmH x 28 mmD
Weight	3.5 kg

COMPATIBLE ACCESSORIES

- 32-zone LCD Capsense Keypad
- Zone Expander Module
- Support up to 32 points of Home Automation
- Built-in Home Automation x 4 points
- HA 06 Home Automation Module (1-way switch)
- HA 07 Home Automation Module (2-way switch c/w IR learning)
- GSM-320 GSM Module (32-zone)
- RS232-485 Converter
- TCP/IP-485 Converter
- Unsupervised Wireless Module
- Supervised Wireless Module
- P2P app module


SYSTEM OVERVIEW




- Security Control
- Home Automation Control
- Push Notification
- System Status Report
- Event Log View
- Live View Camera



- Intercom
- Voice Mailbox
- Arm / Disarm
- HA on / off
- Exit / Entry Delay Countdown
- Voice Feedback



- SMS Reporting
- Voice Reporting



- Lighting Control
- Air Conditioner



- Police
- Fire
- Ambulance