



Model : V9

Bluguard V9 offers the intelligent 9 zones system to protect your family, apartment or office at a competitive cost. It comprises voice feedback and call in/ out users via the conventional phone line as the primary line and optional GSM line as the backup line.

With V9, there are no more beeps, buzzes and multiple tones to remember. The innovative voice notification will report on the status of each zone. For instance, when you disarm the main gate which has been preset as Zone 1, the speaker of the control panel will announce "Zone 1 disarm."

FEATURES

- **8 fully programmable onboard zones**
- **1 special onboard zone:**
 - Panic button
 - Remote or keyswitch arm/disarm function with siren/strobe light indication
- **8 user codes + 1 Duress code + 1 Installer code**
- **Auto arm/disarm timers**
 - Permitting the arm/disarm function at the pre-set time
- **Mobile APP Control (With P2P Module)**
 - Alarm push notification with sound
 - Arm / disarm, bypass / unbypass, view zone status, home automation control
 - CCTV viewing (bluguard certified camera only)

- **Telephony backup with GSM**

The system acts as a backup to SMS or call all pre-set numbers and report on your home's status

- **CMS reporting (Contact ID)**

Provide the connection to control monitoring station at ease

- **Personal reporting with voice feedback**

- **Double call feature to bypass fax/answering machine during call in**

- **Auto ON HA points for zone alarm triggered**

- **Adjustable zone response for sensitivity**

- **Zone trip count feature to prevent false alarm**

- **Keypad lock feature to prevent password guessing**

- **Support up to 4 Keypads, 2HA modules (8 HA points) and 1 GSM module**

- **External watchdog**

- **485 communication bus**

TECHNICAL SPECIFICATIONS

Input Voltage	240 Vac
Standby Current	60 mA
Backup Battery	Rechargeable battery 12 Vdc, 7AH
Isolation Transformer	14 Vac, 3A
Auxiliary Power Output	12 Vdc, Max 1A
Keypad Power Output	Controllable 12 Vdc, Max 1A
Siren & Strobe Light Output	12 Vdc, Max 2A
PCB Dimensions	200 x 130mm
Metal Casing Dimensions	285 x 300 x 80mm
Keypad Dimension	80 mmW x 113 mmH x 18 mmD
Weight	3.5 kg


COMPATIBLE ACCESSORIES

- 9-zone LED Keypad
- HA 06 Home Automation Module (1-way switch)
- HA 07 Home Automation Module (2-way switch c/w IR learning)
- GSM-200 GSM module (9-zone)
- Unsupervised Wireless Module
- Supervised Wireless Module
- P2P app module


SYSTEM OVERVIEW



- Security Control
- Home Automation Control
- Push Notification
- System Status Report
- Event Log View
- Live View Camera



- Arm / Disarm
- HA on / off
- Exit / Entry Delay Countdown
- Tone Feedback



- SMS Reporting
- Voice Reporting



- Lighting Control
- Air Conditioner



- Police
- Fire
- Ambulance